

Профильные цилиндры





INSTYTUT TECHNIKI BUDOWLANEJ

CERTIFICATION DEPARTMENT

ul. FILTROWA 1, 00-611 WARSZAWA
tel.: +48 22 57 96 167, +48 22 57 96 168, fax: +48 22 57 96 266
e-mail: certyfikacja@itb.pl, www.itb.pl



**NATIONAL CERTIFICATE
OF CONSTANCY OF PERFORMANCE**

No 020-UWB-2799/W

In compliance with the Ordinance of the Minister of Infrastructure and Construction of 17 November 2016 on the Way of Declaring Performance of Construction Products and Way of Labeling Them with The Construction Mark (Journal of Laws 2016, item 1966, as amended) this certificate applies to the construction product:

Six-cavity profile lock cylinders WILKA:

1400A, 1405A, 1410A, 1463A, 1406A, 1408A - profile S150
1400B, 1405B, 1410B, 1463B, 1406B, 1408B - profile S150
1400C, 1405C, 1410C, 1463C, 1406C, 1408C - profiles W235, K423, 1A1, 1A2, 1A3, 2D1, 2D2, 2D3, 2D123
3600B, 3605B, 3610B, 3663B, 3608B, 3606B - profile S151
1400C PR, 1405C PR, 1406C PR, 1463C PR - profiles PR130, PR125, PR135, V40

Five-cavity profile lock cylinders WILKA:

1407B, 1481B, 1483B, 1484B, 1488B - profiles W235, K423, S150

General product identification, scope and conditions of use are specified in attachment No. Z-020-UWB-2799/W, which is an integral part of this certificate

covered by the Product Polish Standard:

PN-EN 1303:2015-07

placed on the market under the name or trade name of:

Wilka Polska Sp. z o.o.
ul. Spółdzielcza 45
64-100 Leszno
Poland

and produced in the manufacturing plant of:

Wilka Polska Sp. z o.o.
ul. Spółdzielcza 45
64-100 Leszno
Poland

This certificate attests that all provisions concerning the assessment and verification refer to the declared performance of the product related to its intended use and system 1 are applied and that:

the producer has implemented the factory production control system to ensure these performances.

Certificate No 020-UWB-2799/W was first issued on 20.03.2020. This certificate certifies the Polish Standard applied, the AVCP method, the construction product nor it is modified significantly, unless suspended or withdrawn by the accredited producer.

HEAD
of the Certification Department

K. Katarzyna

Katarzyna Hatowska, M.Sc. Eng.

Warsaw, 20.03.2020

The validity of this certificate can be confirmed at the certification department.



**INSTYTUT TECHNIKI BUDOWLANEJ
CERTIFICATION DEPARTMENT**

ul. FILTROWA 1, 00-611 WARSZAWA
tel.: +48 22 57 96 167, +48 22 57 96 168, fax: +48 22 57 96 266
e-mail: certyfikacja@itb.pl, www.itb.pl



Attachment No. Z-020-UWB-2799/W, page 1/1

which is an integral part of the certificate No. 020-UWB-2799/W

Six-cavity profile lock cylinders WILKA

classification according to PN-EN 1303:2015-07								
Types	1 Category of use	2 Durability	3 Door mass	4 Safety for fire resistance	5 Safety	6 Corrosion resistance and temperature	7 Key related security	8 Attack resistance
1400A, 1405A, 1410A, 1463A, 1406A, 1408A - profile S150	1	6	0	B	0	C	6	A
1400B, 1405B, 1410B, 1463B, 1406B, 1408B - profile S150	1	6	0	B	0	C	6	D
1400C, 1405C, 1410C, 1463C, 1406C, 1408C - profiles W235, K423, 1A1, 1A2, 1A3, 2D1, 2D2, 2D3, 2D123	1	6	0	B	0	C	6	D
3600B, 3605B, 3610B, 3663B, 3608B, 3606B - profile S151	1	6	0	B	0	C	6	D
1400C PR, 1405C PR, 1406C PR, 1463C PR - profiles PR130, PR125, PR135, V40	1	6	0	B	0	C	6	D

Five-cavity profile lock cylinders WILKA

classification according to PN-EN 1303:2015-07							
Types	1 Category of use	2 Durability	3 Door mass	4 Safety for fire resistance	5 Safety	6 Corrosion resistance and temperature	7 Key related security
1407B, 1481B, 1483B, 1484B, 1488B - profiles W235, K423, S150	1	6	0	B	0	C	4

HEAD
of the Certification Department

K. Katarzyna

Katarzyna Hatowska, M.Sc. Eng.



Warsaw, 20.03.2020

DEPUTY DIRECTOR
of Instytut Techniki Budowlanej

Anna Panek

Anna Panek, M.Sc. Eng.



Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise)
Product Certification Body 3040
accredited by the Czech Accreditation Institute pursuant to ČSN EN ISO/IEC 17065:2013
Hudcova 424/56b, 621 00 Brno, Czech Republic



CERTIFICATE

Number: **J-00119-20**

Issued to Producer: WILKA Polska Sp. z o.o.
Spółdzielcza 45, 64-100 Leszno, Poland

For product: WILKA Cylinder
Type designation: 1400A Double cylinder
1408A Double cylinder FZG
1405A Knob cylinder
1463A Double cylinder with an emergency exit function
1408A Free-wheel knob cylinder FZG
1410A Half cylinder
- profile S150
- 5 and 6 locking pins

Based on the review of the submitted technical documentation, verifications and tests conducted, Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) hereby certifies that the characteristics of the product samples concerned have been found to be in conformity with the requirements specified in ČSN EN 1303:2016 for Grade – B (Key related Security) and Grade – A (Attack resistance).

The product classification according to Art. 7 ČSN EN 1303:2016

Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance and temperature	Key related Security
1	8	0	B	0	C	6

Product certification scheme applied: ČSN EN ISO/IEC 17067:2014, scheme type 1a.

The Certificate is issued on the basis of the submitted technical documentation, verifications and tests conducted, Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) hereby certifies that the characteristics of the product samples concerned have been found to be in conformity with the requirements specified in ČSN EN 1303:2016 for Grade – B (Key related Security) and Grade – A (Attack resistance).

The Certificate is issued on the basis of the submitted technical documentation, verifications and tests conducted, Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) hereby certifies that the characteristics of the product samples concerned have been found to be in conformity with the requirements specified in ČSN EN 1303:2016 for Grade – B (Key related Security) and Grade – A (Attack resistance).

In Brno, date: 10. January 2020

J-00119-20 Page 1



Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise)
Product Certification Body 3040
accredited by the Czech Accreditation Institute pursuant to ČSN EN ISO/IEC 17065:2013
Hudcova 424/56b, 621 00 Brno, Czech Republic



CERTIFICATE

Number: **J-00129-20**

Issued to Producer: WILKA Polska Sp. z o.o.
Spółdzielcza 45, 64-100 Leszno, Poland

For product: WILKA Cylinder
Type designation: 1400B Double cylinder
1406B Double cylinder FZG
1405B Knob cylinder
1463B Double cylinder with an emergency exit function
1406B Free-wheel knob cylinder FZG
Half cylinder
S150
6 locking pins

Based on the review of the submitted technical documentation, verifications and tests conducted, Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) hereby certifies that the characteristics of the product samples concerned have been found to be in conformity with the requirements specified in ČSN EN 1303:2016 for Grade – B (Key related Security) and Grade – D (Attack resistance).

The product classification according to Art. 7 ČSN EN 1303:2016

Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance and temperature	Key related Security	Attack resistance
0	B	0	C	6	D		

Product certification scheme applied: ČSN EN ISO/IEC 17067:2014, scheme type 1a.

The Certificate is issued on the basis of the submitted technical documentation, verifications and tests conducted, Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) hereby certifies that the characteristics of the product samples concerned have been found to be in conformity with the requirements specified in ČSN EN 1303:2016 for Grade – B (Key related Security) and Grade – D (Attack resistance).

The Certificate is valid for 9 January 2023, provided that its holder is not in breach of the rules for using the Certificate. The rules for using the certificate are specified on the certificate.

In Brno, date: 10. January 2020

Ing. Pavel Sticha
Head of Certification Body

J-00129-20 Page 1



Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise)
Product Certification Body 3040
accredited by the Czech Accreditation Institute pursuant to ČSN EN ISO/IEC 17065:2013
Hudcova 424/56b, 621 00 Brno, Czech Republic



CERTIFICATE

Number: **J-00130-20**

Issued to Producer: WILKA Polska Sp. z o.o.
Spółdzielcza 45, 64-100 Leszno, Poland

For product: WILKA Cylinder
Type designation: 1400C Double cylinder
1408C Double cylinder FZG
1405C Knob cylinder
1463C Double cylinder with an emergency exit function
1408C Free-wheel knob cylinder FZG
1410C Half cylinder
- profiles K423, W235, 1A1, 1A2, 1A3, 2D1, 2D2, 2D3, 2D123
- 5 and 6 locking pins

Based on the review of the submitted technical documentation, verifications and tests conducted, Strojirenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise) hereby certifies that the characteristics of the product samples concerned have been found to be in conformity with the requirements specified in ČSN EN 1303:2016 for Grade – B (Key related Security) and Grade – D (Attack resistance).

The product classification according to Art. 7 ČSN EN 1303:2016

Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance and temperature	Key related Security	Attack resistance
1	8	0	B	0	C	6	D

Product certification scheme applied: ČSN EN ISO/IEC 17067:2014, scheme type 1a.

The Certificate is issued on the basis of Final Report 32-10280/UZ dated 16 January 2020, issued by the Strojirenský zkušební ústav, s.p. (Engineering Test Institute). The Final Report contains the conclusions of the assessments and product identification data.

The Certificate is valid for 9 January 2023, provided that its holder is not in breach of the rules for using the Certificate. The rules for using the certificate are specified on the certificate.

In Brno, date 17. January 2020

J-00130-20 Page 1 (2)



Ing. Pavel Sticha
Head of Certification Body


J-00130-20 Page 1

Strojirenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Czech Republic
Engineering Test Institute, public enterprise, Hudcova 424/56b, 621 00 Brno, Czech Republic
www.szulest.cz



Ассортимент продуктов WILKA соответствует постоянно увеличивающимся требованиям рынка в области улучшения безопасности и защиты объектов. Наши продукты предлагаются в разных вариантах и имеют много областей применения, а предназначены как для индивидуальных клиентов, желающих как можно лучше предохранить свое имущество, так и для учреждений и администраторов торговых, промышленных и общественных объектов.


WILKA - основана в 1865 г.



Класс А

код EN 1303:2015

1.6.0.B.0.C.6.A




- Нестандартная защита
- 6 запорных штифтов
- Штифты грибы - защита от взлома
- Штифты цилиндра латунные и стальные укреплены никелевым покрытием
- Специальная форма цилиндра, влияющая на прочность цилиндра
- Допуск к использованию в огнестойких дверях
- Самый высокий уровень безопасности кода ключей „6” - EN 1303:2015
- Самый высокий уровень коррозионной стойкости „С” - EN 1303:2015
- Максимальный срок службы 100.000 циклов „6” - EN 1303:2015
- Две цветовые версии: никель и латунь



Класс В

код EN 1303:2015

1.6.0.B.0.C.6.D




- Самый высокий уровень защиты от взлома подтверждается сертификатом
- 6 запорных штифтов
- Специальная форма цилиндра, влияющая на прочность цилиндра
- Штифты цилиндра латунные и стальные укреплены никелевым покрытием
- Штифты грибы - защита от взлома
- Защита от просверливания корпуса - стальные штифты
- Защита от просверливания цилиндра - стальные штифты
- Допуск к использованию в огнестойких дверях
- Самый высокий уровень безопасности кода ключей „6” - EN 1303:2015
- Самый высокий уровень устойчивости к атакам „D” - EN 1303:2015
- Самый высокий уровень коррозионной стойкости „C” - EN 1303:2015
- Максимальный срок службы 100.000 циклов „6” - EN 1303:2015
- Две цветовые версии: никель и латунь



Класс В 3600

код EN 1303:2015

1.6.0.B.0.C.6.D




- Самый высокий уровень защиты от взлома подтверждается сертификатом
- 6 запорных штифтов
- Специальная форма цилиндра, влияющая на прочность цилиндра
- Штифты цилиндра латунные и стальные укреплены никелевым покрытием
- Штифты грибы - защита от взлома
- Защита от просверливания корпуса - стальные штифты
- Защита от просверливания цилиндра - стальные штифты
- Допуск к использованию в огнестойких дверях
- Самый высокий уровень безопасности кода ключей „6” - EN 1303:2015
- Самый высокий уровень устойчивости к атакам „D” - EN 1303:2015
- Самый высокий уровень коррозионной стойкости „C” - EN 1303:2015
- Максимальный срок службы 100.000 циклов „6” - EN 1303:2015
- Две цветовые версии: никель



Класс С

код EN 1303:2015

1.6.0.B.0.C.6.D




- Самый высокий уровень защиты от взлома подтверждается сертификатом
- 6 запорных штифтов
- Специальная форма цилиндра, влияющая на прочность цилиндра
- Ключ со специальным профилем, устойчивым к открытию манипуляционным методом
- Штифты цилиндра латунные и стальные укреплены никелевым покрытием
- Штифты грибы - защита от взлома
- Защита от просверливания корпуса - стальные штифты
- Защита от просверливания цилиндра - стальные штифты
- Выполнение копии ключей на основании карты безопасности
- Допуск к использованию в огнестойких дверях
- Самый высокий уровень безопасности кода ключей „6” - EN 1303:2015
- Самый высокий уровень устойчивости к атакам „D” - EN 1303:2015
- Самый высокий уровень коррозионной стойкости „C” - EN 1303:2015
- Максимальный срок службы 100.000 циклов „6” - EN 1303:2015
- Две цветовые версии: никель и латунь



Класс С Премиум

код EN 1303:2015

1.6.0.B.0.C.6.D




- Все штифты цилиндра и корпуса из закаленной стали укреплены никелевым покрытием
- Самый высокий уровень защиты от взлома подтверждается сертификатом
- 9 запорных штифтов
- ПРОТЕКТОР - специальный активный штифт SV в корпусе цилиндра
 - защита ключевого профиля от несанкционированного копирования
 - защита цилиндра дополнительным запорным элементом
- 3 Боковые шарики как дополнительные фиксирующие элементы
- Штифты грибы - защита от взлома
- Специальная форма цилиндра, влияющая на прочность цилиндра
- Ключ со специальным профилем, устойчивым к открытию манипуляционным методом
- Защита от просверливания корпуса - стальные штифты
- Защита от просверливания цилиндра - стальные штифты
- Выполнение копии ключей на основании карты безопасности
- Допуск к использованию в огнестойких дверях
- Самый высокий уровень безопасности кода ключей „6” - EN 1303:2015
- Самый высокий уровень устойчивости к атакам „D” - EN 1303:2015
- Самый высокий уровень коррозионной стойкости „C” - EN 1303:2015
- Максимальный срок службы 100.000 циклов „6” - EN 1303:2015
- Две цветные версии: никель



Профильные цилиндры

Профильные цилиндры – 1400

никель



латунь




черный



Профильные цилиндры с ручкой – 1405

никель



латунь



черный



ручка – O1



сатин



F4



черный

ручка – E1



сатин



черный

Профильные цилиндры – 1413

никель







Профильные цилиндры - 1410

никель






Заготовки ключей

A/B	A/B	B3600	C	C	C	C	C Premium
							
							
S150	S150	S152	W101	ZL53	K423	W235	PR130
S150/000001	S150/000005	S152/000001	S211/000007	S211/000001	S261/000010	S261/000008	S600/000002

Инструменты и запчасти



Модульная система



WILKA®
SCHLIESSTECHNIK

WILKA – ПРЕИМУЩЕСТВО БЛАГОДАРЯ КАЧЕСТВУ